


United Kingdom & Ireland

Made in Germany

Motorhomes

Sunlight

2027

sunlight.de/en

Important information regarding the selection of your motorhome

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Sunlight specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

Permitted seats (including driver)*	4
Berths	2–3 OPT
Length / Width / Height (cm)	595 / 214 / 287
Headroom in living area (cm)	195
Standard chassis	Citroën Jumper
Standard engine	2.2 BlueHDI
kW (hp)	103 (140)
Mass in running order* (kg)	2679 (2545–2813)*
Manufacturer-specified mass for optional equipment* (kg)	497
Technically permissible maximum laden mass* (kg)	3500

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Sunlight weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.
Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated.

Detailed explanations on the subject of mass of the passengers can be found in the “Legal Information” section

Permitted seats (including driver)*	4
Berths	2–3 OPT
Length / Width / Height (cm)	595 / 214 / 287
Headroom in living area (cm)	195
Standard chassis	Citroën Jumper
Standard engine	2.2 BlueHDI
kW (hp)	103 (140)
Mass in running order* (kg)	2679 (2545–2813)*
Manufacturer-specified mass for optional equipment* (kg)	497
Technically permissible maximum laden mass* (kg)	3500

4. The manufacturer-specified mass for optional equipment...

... is a value set by Sunlight per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the “Legal Information” section.

COMFORT	Additional weight*
Bed conversion for seating area [4]	5 kg
Carpet	5 kg
Wooden duckboard for the shower tray	2 kg
Foldable window blinds	7,5 kg

SAFETY

+ 0,7 kg *

- Lane Control
- Rain and Dusk Sensor
- Traffic Sign and High Beam Recognition
- Matrix Instrument Cluster

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

Prices and technical data

Van Adventure

	V 60	V 66	V 67S
			
Price £	59,090.-	61,690.-	62,590.-
Permitted seats (including driver)*	4	4	4
Berths	2 - 3 OPT	2	2 - 4 OPT
Length / Width / Height (cm)	596 / 214 / 274	666 / 214 / 274	698 / 214 / 274
Headroom in living area (cm)	195	195	195
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2	2.2	2.2
kW (hp)	103 (140)	103 (140)	103 (140)
Mass in running order* (kg)	2657 (2524 to 2790)*	2719 (2583 to 2855)*	2804 (2664 to 2944)*
Manufacturer-specified mass for optional equipment* (kg)	509	440	361
Technically permissible maximum laden mass* (kg)	3500	3500	3500
Technically permissible towing weight 12 % braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP
Wheelbase (cm)	345	380	380
Bed size overcab / pull-down bed / Easy fold single bed (cm)			185 x 80 OPT
Bed dimension: Central / middle bed, L x W (cm)	192 x 65 - 45 OPT		196 x 91 OPT
Bed dimension: Rear bed, L x W (cm)	194 x 140 - 130	200 x 70 195 x 80 200 - 195 x 194	195 x 70 195 x 80 195 x 194
Refrigerator volume incl. freezer (l)	78 (11)	78 (11)	137 (15)
Heating type	Combi 6 E	Combi 6 E	Combi 6 E

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

	V 60	V 66	V 67S
			
Total fresh water tank capacity / fresh water tank when driving filled (l)	116 / 20[1)]	116 / 20[1)]	116 / 20[1)]
Waste water tank (l)	92	92	92
Sockets: 230 V	4	4	4
Sockets: USB	2	2	2
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 85	65 x 105 70 x 75	95 x 105 75 x 80
Storage space for two gas cylinders with filling weight (kg)	2 x 11kg	2 x 11kg	2 x 11kg

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Van Adventure

	V 60	V 66	V 67S
ADVENTURE EQUIPMENT			
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●	●
Fiat white	●	●	●
Adventure Decals	●	●	●
Soft furnishing Adventure	●	●	●
Cab sunroof	●	●	●
2nd external storage door (size depends on layout)	●	●	●
Bed conversion single to double bed	—	●	●
Awning (black)	●	●	●
Basic Pack	●	●	●
Package painted front bumper	●	●	●
Two-colour alloy wheels Pack	●	●	●
BASE VEHICLE FIAT			
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●	●
Start & Stop function incl. booster	●	●	●
60l fuel tank	●	●	●
Manual cab air conditioning	●	●	●
Cruise control	●	●	●
Tyres M+S* Camping (snowflake)	●	●	●
Front Wheel Drive	●	●	●
Daytime running lights, integrated in headlights	●	●	●
Headlights with black frame	●	●	●
Driver and passenger airbag	●	●	●
Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt	●	●	●
ABS, EBD (electronic brake force distribution), ESP (electronic stability program)	●	●	●
ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)	●	●	●
Traction+ incl. hill descent assistant	●	●	●
Electric operated cab windows and central locking	●	●	●
Electric and heated mirrors	●	●	●
Radio aerial integrated in mirror	●	●	●
Radio pre-wiring including speakers	●	●	●
Multifunction steering wheel	●	●	●
Fix & Go breakdown kit	●	●	●

	V 60	V 66	V 67S
Central cup holder	●	●	●
Comfortable driving experience with rear and front axle stabilizers	●	●	●
USB charger (A+C)	●	●	●
Driver and passenger seats with armrests & upholstered covers (Captain Chair)	●	●	●
Driver and passenger seats swivel	●	●	●
Driver and passenger seat with lumbar support	●	●	●
Height and rake adjustment for driver and passenger seat	●	●	●
Tyre pressure indicator	●	●	●
Reverse Monitoring (Radar)	●	●	●
Full Brake Control with Pedestrian Detection	●	●	●
Driver Drowsiness Detection	●	●	●
Intelligent Speed Assist	●	●	●
Lane control	●	●	●
Traffic sign recognition	●	●	●
CONVERSION			
7-year water ingress warranty [2)]	●	●	●
GRP (glass fibre reinforced plastic) roof and rear wall	●	●	●
Aluminium sidewalls	●	●	●
Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm	●	●	●
Design rear light carrier in three parts with full-LED lights	●	●	●
High quality entrance door with ergonomic handle inside and outside	●	●	●
Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)	●	●	●
Roof light with frosted perspex glas and flyscreen	●	●	●
Electric entrance step	●	●	●
Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)	●	●	●
Splash water seals for the exterior storage locker and doors	●	●	●
Payload in garage up to 150 kg	●	●	●
COMFORT			
Ergonomically shaped upholstery for improved seating comfort	●	●	●
Isofix for 2 seats	●	●	●
Table extension	●	●	●
High-quality mattress in all beds	●	●	●
Mattress cover removable and washable	●	●	●
Wooden slatted frame in all fixed-beds for better sleeping comfort	●	●	●
Spacious storage compartments and storage options	●	●	●
Ventilation for storage locker and seat backrest	●	●	●
Overhead lockers with soft close system	●	●	●
Furniture Decor Cozy Cottage, Dyna White und Active Grey	●	●	●

	V 60	V 66	V 67S
Floor Mountain Lodge	●	●	●
Carpet	●	●	●
INSTALLATIONS			
High-performance, maintenance-free leisure battery (95 Ah AGM)	●	●	●
Bord-control-panel supplies information about filling levels and battery capacity	●	●	●
Automatic switching and separating systems for starter and leisure battery as well as for refrigerator	●	●	●
Electric charger for leisure and vehicle battery 12 V / 18 A	●	●	●
CEE 230 V external socket with safety device	●	●	●
Residual Current Device (RCD)	●	●	●
LED Awning light	●	●	●
LED interior light	●	●	●
USB Socket (A/C)	●	●	●
HEATING / GAS SUPPLY			
Gas bottle locker for 2 x 11 kg gas bottles	●	●	●
Gas control valves easily accessible and centrally arranged	●	●	●
Heating Combi 6 E (with el. heating element) incl. digital control panel	●	●	●
KITCHEN			
Ergonomically arranged kitchen with spacious work top	●	●	●
Large drawer with soft-close in the kitchen unit	●	●	●
2-burner cooker with piezo ignition and glass cover	●	●	●
Folding extension for kitchen worktop	—	—	●
Water tank incl. boiler 116 l, waste water tank 92 l	●	●	●
Fridge 78 l with freezer compartment 11 l	●	●	—
Fridge 137 l with freezer compartment 15 l	—	—	●
Waste bin	●	●	●
Oven in kitchen	●	●	●
BATHROOM			
Variobath	●	●	●
Shower cubicle lining	●	●	●
Roof vent with integrated flyscreen blind	●	●	●
Large mirrors	●	●	●
Clothes rail in bathroom	●	●	●
SOFT FURNISHING			
Soft furnishing Adventure	●	●	●
PACKS			
Basic Pack	●	●	●

	V 60	V 66	V 67S
Package painted front bumper	●	●	●
Two-colour alloy wheels Pack	●	●	●

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

Packs

Van Adventure

BASIC PACK

Bridge Light	
Flyscreen door (one-piece)	
Mirror with coat hooks	
Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40 cm	
Additional weight (kg)*	14.6

in Van Adventure included

PACKAGE PAINTED FRONT BUMPER

Painted bumper	
Skid Plate Black	
Fog lights	
Additional weight (kg)*	3

in Van Adventure included

TWO-COLOUR ALLOY WHEELS PACK

Leather steering wheel and gear knob in leather trim	
Air outlets with applications silver (Techno-Trim)	
16" alloy wheels two-colour	
Additional weight (kg)*	8

in Van Adventure included

BLACK ALLOY WHEELS PACK [7)]

Leather steering wheel and gear knob in leather trim	

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

BLACK ALLOY WHEELS PACK [7)]

Air outlets with applications silver (Techno-Trim)	
16" alloy wheels black matt	
Additional weight (kg)*	8
Price	0.-

ACC PACK

Adaptive Cruise Control >30 km/h	
Rain and light sensor	
Additional weight (kg)*	2.5
Price	630.-

7" INFOTAINMENT PACKAGE [8) 9)]

7" radio including Apple CarPlay/Android Auto function	
Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	810.-

10“ INFOTAINMENT PACKAGE [8) 9)]

10" radio und navigation system (DAB+) including Apple CarPlay/Android Auto function	
Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	1,350.-

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Van Adventure

	Price £ [a)]	Additional weight (kg)*	V 60	V 66	V 67S
BASE VEHICLE FIAT					
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 8-speed automatic gearbox	2,870.-	60	o	o	o
Full LED Headlamps incl. wiping indicators and LED daytime running lights	990.-	0	o	o	o
Electric Park Brake	550.-	-9.4	o	o	o
90l fuel tank	40.-	23	o	o	o
Digital display and smartphone charging function [3)]	540.-	0.3	o	o	o
WEIGHT INCREASE					
Weight increase to 3,65 t (no chassis modification)*	220.-	0	o	o	o
CONVERSION					
Two rear corner steadies	300.-	6	o	o	o
Insulated waste water tank	160.-	8	o	o	o
Bike rack for 3 bikes black	490.-	12.5	o	o	o
COMFORT					
Foldable window blinds	590.-	8	o	o	o
Easy fold single bed [4)]	720.-	14	—	—	o
Bed conversion for seating area [5)]	310.-	5	o	—	o
Wooden duckboard for the shower tray	80.-	2	o	o	o
INSTALLATIONS					
12V TV pre-cabling incl. flat screen holder	200.-	3	o	o	o
Mobile internet (WiFi / LTE antenna incl. Router)	900.-	1.4	o	o	o
Pre-cabling reversing camera	150.-	1	o	o	o
Pre-cabling solar system	150.-	2	o	o	o
Lithium battery 104 Ah instead of AGM 95 Ah	900.-	-15	o	o	o
Additional 104 Ah lithium battery [6)]	1,170.-	10.5	o	o	o
HEATING / GAS SUPPLY					
Floor heating electric in living area	450.-	6	o	o	o
Combi 6 DE diesel heater (with electric heating element), including integrated altitude pressure sensor and digital control panel	670.-	2	o	o	o

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

	Price £ [a]	Additional weight (kg)*	V 60	V 66	V 67S
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	270.-	3.5	○	○	○
SOFT FURNISHING					
Performance Grey	0.-	0	○	○	○
Green Trail	0.-	0	○	○	○
PACKS					
Black alloy wheels Pack [7]	0.-	8	○	○	○
ACC Pack	630.-	2.5	○	○	○
7" Infotainment package [8] [9]	810.-	△	○	○	○
10" Infotainment package [8] [9]	1,350.-	△	○	○	○

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication Further information from p. 49
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Low Profile Adventure

	T 58	T 66S	T 67	T 68
				
Price £	64,890.-	67,190.-	69,490.-	69,490.-
Permitted seats (including driver)*	4	4 - 5 OPT	4 - 5 OPT	4 - 5 OPT
Berths	2 - 4 OPT	2 - 5 OPT	2 - 5 OPT	2 - 5 OPT
Length / Width / Height (cm)	596 / 232 / 293	698 / 232 / 293	731 / 232 / 293	741 / 232 / 293
Headroom in living area (cm)	210	210	210	210
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2	2.2	2.2	2.2
kW (hp)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order* (kg)	2777 (2638 to 2916)*	2879 (2735 to 3023)*	2950 (2803 to 3098)*	2992 (2842 to 3142)*
Manufacturer-specified mass for optional equipment* (kg)	378	260	193	144
Technically permissible maximum laden mass* (kg)	3500	3500	3500	3500
Technically permissible towing weight 12 % braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Tire size	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP
Wheelbase (cm)	345	380	404	404
Bed size overcab / pull-down bed / Easy fold single bed (cm)	195 x 140 - 110 OPT	195 x 140 - 110 OPT	195 x 140 - 110 OPT	195 x 140 - 110 OPT
Bed dimension: Central / middle bed, L x W (cm)		210 x 58 OPT	210 x 100 OPT	210 x 65 OPT
Bed dimension: Rear bed, L x W (cm)	200 x 135 - 115	200 x 80 190 x 80 210 x 162	205 x 80 210 x 80 210 x 168	210 x 80 215 x 80 210 x 168
Refrigerator volume incl. freezer (l)	78 (11)	137 (15)	156 (29)	156 (29)
Heating type	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

	T 58	T 66S	T 67	T 68
				
Total fresh water tank capacity / fresh water tank when driving filled (l)	122 / 20[1)]	122 / 20[1)]	122 / 20[1)]	122 / 20[1)]
Waste water tank (l)	92	92	92	92
Sockets: 230 V	5	4	4	5
Sockets: USB	4	4	4	4
Inner dimensions storage locker right/left W x H (cm)	65 x 75	95 x 110 75 x 80	95 x 110 75 x 80	95 x 110 75 x 80
Storage space for two gas cylinders with filling weight (kg)	2 x 11kg	2 x 11kg	2 x 11kg	2 x 11kg

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Low Profile Adventure

	T 58	T 66S	T 67	T 68
ADVENTURE EQUIPMENT				
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●	●	●
Fiat white	●	●	●	●
Adventure Decals	●	●	●	●
Soft furnishing Adventure	●	●	●	●
High-level rear light cluster	●	●	●	●
Cab sunroof	●	●	●	●
Framed windows	●	●	●	●
2nd external storage door (size depends on layout)	—	●	●	●
Large 156 l fridge with separate 29 l freezer compartment	—	—	●	●
Fridge 137 l with freezer compartment 15 l	—	●	—	—
Bed conversion single to double bed	—	●	●	●
Basic Pack	●	●	●	●
Package painted front bumper	●	●	●	●
Two-colour alloy wheels Pack	●	●	●	●
BASE VEHICLE FIAT				
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●	●	●
Start & Stop function incl. booster	●	●	●	●
60l fuel tank	●	●	●	●
Manual cab air conditioning	●	●	●	●
Cruise control	●	●	●	●
Wide-track chassis	●	●	●	●
Tyres M+S* Camping (snowflake)	●	●	●	●
Front Wheel Drive	●	●	●	●
Daytime running lights, integrated in headlights	●	●	●	●
Headlights with black frame	●	●	●	●
Driver and passenger airbag	●	●	●	●
Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt	●	●	●	●
ABS, EBD (electronic brake force distribution), ESP (electronic stability program)	●	●	●	●
ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)	●	●	●	●
Traction+ incl. hill descent assistant	●	●	●	●
Electric operated cab windows and central locking	●	●	●	●
Electric and heated mirrors	●	●	●	●

	T 58	T 66S	T 67	T 68
Radio aerial integrated in mirror	●	●	●	●
Radio pre-wiring including speakers	●	●	●	●
Multifunction steering wheel	●	●	●	●
Fix & Go breakdown kit	●	●	●	●
Central cup holder	●	●	●	●
Comfortable driving experience with rear and front axle stabilizers	●	●	●	●
USB charger (A+C)	●	●	●	●
Driver and passenger seats with armrests & upholstered covers (Captain Chair)	●	●	●	●
Driver and passenger seats swivel	●	●	●	●
Driver and passenger seat with lumbar support	●	●	●	●
Height and rake adjustment for driver and passenger seat	●	●	●	●
Tyre pressure indicator	●	●	●	●
Reverse Monitoring (Radar)	●	●	●	●
Full Brake Control with Pedestrian Detection	●	●	●	●
Driver Drowsiness Detection	●	●	●	●
Intelligent Speed Assist	●	●	●	●
Lane control	●	●	●	●
Traffic sign recognition	●	●	●	●
PAINTING				
Fiat white	●	●	●	●
CONVERSION				
7-year water ingress warranty [2)]	●	●	●	●
GRP (glass fibre reinforced plastic) roof and rear wall	●	●	●	●
Aluminium sidewalls	●	●	●	●
Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm	●	●	●	●
Design rear light carrier in three parts with full-LED lights	●	●	●	●
High quality entrance door with ergonomic handle inside and outside	●	●	●	●
Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)	●	●	●	●
Roof light with frosted perspex glas and flyscreen	●	●	●	●
Electric entrance step	●	●	●	●
Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)	●	●	●	●
Splash water seals for the exterior storage locker and doors	●	●	●	●
Payload in garage up to 150 kg	●	●	●	●
COMFORT				
Ergonomically shaped upholstery for improved seating comfort	●	●	●	●
Isofix for 2 seats	●	●	●	●
L-shape lounge with free-standing and rotating table	—	—	—	●

	T 58	T 66S	T 67	T 68
Table extension	●	●	●	—
High-quality mattress in all beds	●	●	●	●
Mattress cover removable and washable	●	●	●	●
Wooden slatted frame in all fixed-beds for better sleeping comfort	●	●	●	●
Spacious storage compartments and storage options	●	●	●	●
Ventilation for storage locker and seat backrest	●	●	●	●
Mirror with indirect lighting and coat hooks	●	●	●	●
Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey	●	●	●	●
Floor Mountain Lodge	●	●	●	●
Bed conversion single to double bed	—	●	●	●
Carpet	●	●	●	●
INSTALLATIONS				
Overhead locker with integrated LED light	●	●	●	●
High-performance, maintenance-free leisure battery (95 Ah AGM)	●	●	●	●
Bord-control-panel supplies information about filling levels and battery capacity	●	●	●	●
Automatic switching and separating systems for starter and leisure battery as well as for refrigerator	●	●	●	●
Electric charger for leisure and vehicle battery 12 V / 18 A	●	●	●	●
CEE 230 V external socket with safety device	●	●	●	●
Residual Current Device (RCD)	●	●	●	●
LED interior light	●	●	●	●
LED Awning light	●	●	●	●
USB Socket 3 x A / 1 x C (depending on layout)	●	●	●	●
HEATING / GAS SUPPLY				
Gas control valves easily accessible and centrally arranged	●	●	●	●
Gas bottle locker for 2 x 11 kg gas bottles	●	●	●	●
Heating Combi 6 E (with el. heating element) incl. digital control panel	●	●	●	●
KITCHEN				
Two-flame cooker with 12 V ignition and glass cover	●	●	●	●
Ergonomically arranged kitchen with spacious work top	●	●	●	●
Large drawer with soft-close in the kitchen unit	●	●	●	●
Large, round kitchen sink in stainless steel	●	●	●	●
Water tank incl. boiler 122 l, waste water tank 92 l	●	●	●	●
Fridge 78 l with freezer compartment 11 l	●	—	—	—
Fridge 137 l with freezer compartment 15 l	—	●	—	—
Large 156 l fridge with separate 29 l freezer compartment	—	—	●	●
LED light-band	●	●	●	●
Waste bin	●	●	●	●

	T 58	T 66S	T 67	T 68
Flexible railing system with two hooks	●	●	●	●
Oven in kitchen	●	●	●	●
BATHROOM				
Variobath	—	●	●	—
Bathroom with bench toilet and integrated shower cubicle	●	—	—	—
Spacious bathroom with separate shower on the opposite side	—	—	—	●
Swivel cassette toilet with electric flush	—	●	●	●
Roof vent with integrated flyscreen blind (depending on model)	●	●	●	●
Large mirrors	●	●	●	●
Clothes rail in bathroom	●	●	●	●
Flexible railing system with two hooks	—	—	—	●
Shower cubicle lining	●	●	●	●
SOFT FURNISHING				
Soft furnishing Adventure	●	●	●	●
PACKS				
Basic Pack	●	●	●	●
Package painted front bumper	●	●	●	●
Two-colour alloy wheels Pack	●	●	●	●

● Standard equipment
◆ upon request
○ Optional equipment
— Not possible
▲ Mandatory
□ Available in package
△ Not known at the time of publication

Packs

Low Profile Adventure

BASIC PACK

Bridge Light	
Comfort entrance door with window	
Flyscreen door (one-piece)	
Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40 cm	
Additional weight (kg)*	14.3

in Low Profile Adventure included

PACKAGE PAINTED FRONT BUMPER

Painted bumper	
Skid Plate Black	
Fog lights	
Additional weight (kg)*	3

in Low Profile Adventure included

TWO-COLOUR ALLOY WHEELS PACK

Leather steering wheel and gear knob in leather trim	
Air outlets with applications silver (Techno-Trim)	
16" alloy wheels two-colour	
Additional weight (kg)*	8

in Low Profile Adventure included

BLACK ALLOY WHEELS PACK [7)]

Leather steering wheel and gear knob in leather trim	

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

BLACK ALLOY WHEELS PACK [7)]

Air outlets with applications silver (Techno-Trim)	
16" alloy wheels black matt	
Additional weight (kg)*	8
Price	0.-

ACC PACK

Adaptive Cruise Control >30 km/h	
Rain and light sensor	
Additional weight (kg)*	2.5
Price	630.-

7" INFOTAINMENT PACKAGE [8) 9)]

7" radio including Apple CarPlay/Android Auto function	
Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	810.-

10“ INFOTAINMENT PACKAGE [8) 9)]

10" radio und navigation system (DAB+) including Apple CarPlay/Android Auto function	
Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	1,350.-

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Low Profile Adventure

	Price £ [a)]	Additional weight (kg)*	T 58	T 66S	T 67	T 68
BASE VEHICLE FIAT						
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 8-speed automatic gearbox	2,870.-	60	o	o	o	o
Electric Park Brake	550.-	-9.4	o	o	o	o
90l fuel tank	40.-	23	o	o	o	o
Full LED Headlamps incl. wiping indicators and LED daytime running lights	990.-	0	o	o	o	o
Digital display and smartphone charging function [3)]	540.-	0.3	o	o	o	o
WEIGHT INCREASE						
Weight increase to 3,65 t (no chassis modification)*	220.-	0	o	o	o	o
PAINTING						
Chassis colour black incl. side panel in silver gloss finish	1,690.-	2.5	o	o	o	o
CONVERSION						
Insulated waste water tank	160.-	8	o	o	o	o
Two rear corner steadies	300.-	6	o	o	o	o
Bike rack for 3 bikes black	490.-	12.5	o	o	o	o
Awning - 3.5m (black)	970.-	28.7	o	—	—	—
Awning - 4m (black)	1,140.-	30	—	o	—	—
Awning - 4.5m (black)	1,320.-	34	—	—	o	o
COMFORT						
Bed conversion for seating area	310.-	5	—	o	o	o
Pull-down bed with Clima-Plux elements	1,440.-	44	o	o	o	o
5th seat on side bench with seat belt* [10)]	520.-	15	—	o	o	o
Wooden duckboard for the shower tray	80.-	2	o	o	o	o
Foldable window blinds	590.-	8	o	o	o	o
INSTALLATIONS						
12V TV pre-cabling incl. flat screen holder	200.-	3	o	o	o	o
Mobile internet (WiFi / LTE antenna incl. Router)	900.-	1.4	o	o	o	o
Pre-cabling reversing camera	150.-	1	o	o	o	o
Pre-cabling solar system	150.-	2	o	o	o	o

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

	Price £ [a]	Additional weight (kg)*	T 58	T 66S	T 67	T 68
Lithium battery 104 Ah instead of AGM 95 Ah	900.-	-15	o	o	o	o
Additional 104 Ah lithium battery [6]	1,170.-	10.5	o	o	o	o
HEATING / GAS SUPPLY						
Floor heating electric in living area	450.-	6	o	o	o	o
Combi 6 DE diesel heater (with electric heating element), including integrated altitude pressure sensor and digital control panel	670.-	2	o	o	o	o
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	270.-	3.5	o	o	o	o
SOFT FURNISHING						
Performance Grey	0.-	0	o	o	o	o
Green Trail	0.-	0	o	o	o	o
PACKS						
Black alloy wheels Pack [7]	0.-	8	o	o	o	o
ACC Pack	630.-	2.5	o	o	o	o
7" Infotainment package [8] [9]	810.-	△	o	o	o	o
10" Infotainment package [8] [9]	1,350.-	△	o	o	o	o

● Standard equipment ◆ upon request | o Optional equipment — Not possible | ▲ Mandatory □ Available in package | △ Not known at the time of publication

Further information from p. 49

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Low Profile UNLTD

	T 7003S	T 7033P	T 7433S	T 7433Q
				
Price £	71,490.-	72,990.-	73,690.-	73,690.-
Permitted seats (including driver)*	4	3 - 4 OPT	3 - 4 OPT	3 - 4 OPT
Berths	2 - 4 OPT	4	2 - 5 OPT	3 - 5 OPT
Length / Width / Height (cm)	699 / 232 / 293	699 / 232 / 293	739 / 232 / 293	739 / 232 / 293
Headroom in living area (cm)	210	210	210	210
Standard chassis	Ford Transit	Ford Transit	Ford Transit	Ford Transit
Standard engine	2.0	2.0	2.0	2.0
kW (hp)	96 (130)	96 (130)	96 (130)	96 (130)
Mass in running order* (kg)	2891 (2746 to 3036)*	2909 (2764 to 3054)*	2950 (2803 to 3098)*	2953 (2805 to 3101)*
Manufacturer-specified mass for optional equipment* (kg)	255	256	196	192
Technically permissible maximum laden mass* (kg)	3500	3500	3500	3500
Technically permissible towing weight 12 % braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Tire size	235/65 R16	235/65 R16	235/65 R16	235/65 R16
Wheelbase (cm)	375	375	396	396
Bed size overcab / pull-down bed / Easy fold single bed (cm)	195 x 140 - 110 OPT	199 x 148 - 135	195 x 140 - 110 OPT	195 x 140 - 110 OPT
Bed dimension: Central / middle bed, L x W (cm)		210 x 160 - 125	210 x 97 - 89 OPT	210 x 97 - 89
Bed dimension: Rear bed, L x W (cm)	192 x 80 200 x 80 210 x 153		210 x 81 200 x 81 210 x 157 OPT	190 x 148
Refrigerator volume incl. freezer (l)	156 (29)	137 (15)	137 (15)	137 (15)
Heating type	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

	T 7003S	T 7033P	T 7433S	T 7433Q
				
Total fresh water tank capacity / fresh water tank when driving filled (l)	122 / 20[1)]	122 / 20[1)]	122 / 20[1)]	122 / 20[1)]
Waste water tank (l)	92	92	92	92
Sockets: 230 V	4	4	4	4
Sockets: USB	4	7	4	4
Inner dimensions storage locker right/left W x H (cm)	75 x 110 75 x 80	75 x 110 75 x 80	75 x 110 75 x 80	75 x 110 75 x 80
Storage space for two gas cylinders with filling weight (kg)	2 x 11kg	2 x 11kg	2 x 11kg	2 x 11kg

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Low Profile UNLTD

	T 7003S	T 7033P	T 7433S	T 7433Q
UNLTD EQUIPMENT				
Ford Transit 3.500 kg | 2.0 | 96 kW (130 BHP) | Euro 6 | 6-speed manual gearbox	●	●	●	●
Radiator grille trail	●	●	●	●
Black Metallic	●	●	●	●
16" alloy wheels black	●	●	●	●
Side walls in smooth silver	●	●	●	●
UNLTD Decals	●	●	●	●
Soft furnishing Adventure	●	●	●	●
High-level rear light cluster	●	●	●	●
Cab sunroof	●	●	●	●
Framed windows	●	●	●	●
2nd external storage door (size depends on layout)	●	●	●	●
Large 156 l fridge with separate 29 l freezer compartment	●	—	—	—
Fridge 137 l with freezer compartment 15 l	—	●	●	●
Electric pull-down bed with wooden slat base, can be lowered deeply over the seating area	—	●	—	—
Bed conversion single to double bed	●	—	●	—
Bed conversion for seating area	—	●	○	●
Awning (black)	○	○	○	○
Basic Pack	●	●	●	●
BASE VEHICLE FORD				
Ford Transit 3.500 kg | 2.0 | 96 kW (130 BHP) | Euro 6 | 6-speed manual gearbox	●	●	●	●
Start & Stop Function incl. booster	●	●	●	●
70l fuel tank	●	●	●	●
Cruise control	●	●	●	●
Intelligent speed detection	●	●	●	●
Broad-gauge rear axle	●	●	●	●
Front axle load increase to 1,850 kg	●	●	●	●
Headlights with daytime running lights	●	●	●	●
Electric Park Brake	●	●	●	●
Driver and Passenger airbag	●	●	●	●
Disc brakes, rear and front wheel stabilisers, heat convection, tachometer, power steering, height-adjustable headlights, immobiliser, lap and diagonal seat belts	●	●	●	●
ABS (anti-lock braking system), ESC (electronic stability program), TBC (traction control), EBD (electronic brake force distribution)	●	●	●	●

	T 7003S	T 7033P	T 7433S	T 7433Q
Hill start assist, crosswind assist, safety brake assist, rollover protection	●	●	●	●
Lane departure warning	●	●	●	●
Pre-collision assist	●	●	●	●
Fatigue warning	●	●	●	●
Automatic high beam control	●	●	●	●
Front parking assistance	●	●	●	●
Tyre pressure indicator	●	●	●	●
Electric cab windows	●	●	●	●
Central locking cab with remote control	●	●	●	●
Electric and heated mirrors	●	●	●	●
Rear view camera	●	●	●	●
12" display incl. Apple Car Play & Android Car, 4 front speakers, DAB antenna, Bluetooth interface, USB port, hands-free system	●	●	●	●
Leather steering wheel	●	●	●	●
Audio remote control on steering wheel	●	●	●	●
Fix & Go breakdown kit	●	●	●	●
Tablet holder and USB port	●	●	●	●
Cup holder driver and passenger side	●	●	●	●
Comfort swivel seats for driver and front passenger, each with 2 armrests and lumbar support	●	●	●	●
Driver and passenger seats in matching colours	●	●	●	●
Height and tilt adjustment for driver and passenger seat	●	●	●	●
Fog lights	●	●	●	●
Headlights with static cornering light	●	●	●	●
Automatic climate control	●	●	●	●
PAINTING				
Black Metallic	●	●	●	●
CONVERSION				
7-year water ingress warranty [2)]	●	●	●	●
GRP (glass fibre reinforced plastic) roof and rear wall	●	●	●	●
Aluminium sidewalls	●	●	●	●
Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm	●	●	●	●
Design rear light carrier in three parts with full-LED lights	●	●	●	●
High quality entrance door with ergonomic handle inside and outside	●	●	●	●
Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)	●	●	●	●
Roof light with frosted perspex glas and flyscreen	●	●	●	●
Electric entrance step	●	●	●	●
Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)	●	●	●	●
Splash water seals for the exterior storage locker and doors	●	●	●	●

	T 7003S	T 7033P	T 7433S	T 7433Q
Payload in garage up to 150 kg	●	●	●	●
COMFORT				
Ergonomically shaped upholstery for improved seating comfort	●	●	●	●
Isofix for 2 seats	●	—	—	—
Folding seat facing forward on the left with seatbelt and ISOFIX	—	●	●	●
Electric pull-down bed with wooden slat base, can be lowered deeply over the seating area	—	●	—	—
Cozy lounge seating set with a freestanding, foldable table	—	●	●	●
Table extension	●	—	—	—
High-quality mattress in all beds	●	●	●	●
Mattress cover removable and washable	●	●	●	●
Wooden slatted frame in all fixed-beds for better sleeping comfort	●	—	●	●
Spacious storage compartments and storage options	●	●	●	●
Ventilation for storage locker and seat backrest	●	●	●	●
Mirror with indirect lighting and coat hooks	●	●	●	●
Floor Mountain Lodge	●	●	●	●
Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey	●	●	●	●
Carpet	●	●	●	●
INSTALLATIONS				
Overhead locker with integrated LED light	●	●	●	●
High-performance, maintenance-free leisure battery (95 Ah AGM)	●	●	●	●
Bord-control-panel supplies information about filling levels and battery capacity	●	●	●	●
Automatic switching and separating systems for starter and leisure battery as well as for refrigerator	●	●	●	●
Electric charger for leisure and vehicle battery 12 V / 18 A	●	●	●	●
CEE 230 V external socket with safety device	●	●	●	●
Residual Current Device (RCD)	●	●	●	●
LED Awning light	●	●	●	●
LED interior light	●	●	●	●
USB Socket 3 x A / 1 x C (depending on layout)	●	—	●	●
HEATING / GAS SUPPLY				
Gas control valves easily accessible and centrally arranged	●	●	●	●
Gas bottle locker for 2 x 11 kg gas bottles	●	●	●	●
Heating Combi 6 E (with el. heating element) incl. digital control panel	●	●	●	●
KITCHEN				
Two-flame cooker with 12 V ignition and glass cover	●	●	●	●
Ergonomically arranged kitchen with spacious work top	●	●	●	●
Large drawer with soft-close in the kitchen unit	●	●	●	●

	T 7003S	T 7033P	T 7433S	T 7433Q
Large, round kitchen sink in stainless steel	●	●	●	●
Water tank incl. boiler 122 l, waste water tank 92 l	●	●	●	●
Large 156 l fridge with separate 29 l freezer compartment	●	—	—	—
Fridge 137 l with freezer compartment 15 l	—	●	●	●
LED light-band	●	●	●	●
Waste bin	●	●	●	●
Flexible railing system with two hooks	—	●	●	●
Oven in kitchen	●	●	●	●
BATHROOM				
Variobath	●	—	—	—
Large rear wardrobe with a clothes rail and handy drawers	—	●	—	—
Spacious bathroom with separate shower on the opposite side	—	●	●	●
Swivel cassette toilet with electric flush	●	●	●	●
Roof vent with integrated flyscreen blind (depending on model)	●	●	●	●
Large mirrors	●	●	●	●
Clothes rail in bathroom	●	●	●	●
Flexible railing system with two hooks	—	—	●	●
Shower cubicle lining	●	●	●	●
SOFT FURNISHING				
Soft furnishing Adventure	●	●	●	●
PACKS				
Basic Pack	●	●	●	●

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

Packs

Low Profile UNLTD

BASIC PACK

Bridge Light	
Comfort entrance door with window	
Flyscreen door (one-piece)	
Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40 cm	
Additional weight (kg)*	14.3
in Low Profile UNLTD included	

ASSISTANCE PACK [11)]

Traffic sign recognition	
Adaptive cruise control	
Navigation	
Additional weight (kg)*	2.6
Price	1,980.-

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Low Profile UNLTD

	Price £ [a]	Additional weight (kg)*	T 7003S	T 7033P	T 7433S	T 7433Q
BASE VEHICLE FORD						
Ford Transit 3.500 kg | 2.0 | 122 kW (165 BHP) | Euro 6 | 6-speed manual gearbox	620.-	0	o	o	o	o
Ford Transit 3.500 kg | 2.0 | 122 kW (165 BHP) | Euro 6 | 8-speed automatic gearbox	3,380.-	55	o	o	o	o
Bi-xenon headlights with static cornering lights and LED daytime running lights	680.-	0.2	o	o	o	o
Electrical preparation for trailer coupling	290.-	0	o	o	o	o
CONVERSION						
Insulated waste water tank	170.-	8	o	o	o	o
Two rear corner steadies	320.-	6	o	o	o	o
Bike rack for 3 bikes black	540.-	12.5	o	o	o	o
Awning - 4m (black)	1,240.-	30	o	o	—	—
Awning - 4.5m (black)	1,430.-	34	—	—	o	o
COMFORT						
Bed conversion for seating area	340.-	5	—	●	o	●
Pull-down bed with Clima-Plux elements	1,560.-	44	o	—	o	o
4th seat on the side bench, foldable with seat belt and Isofix	780.-	29.5	—	o	o	o
Wooden duckboard for the shower tray	90.-	2	o	o	o	o
Foldable window blinds	640.-	8	o	o	o	o
INSTALLATIONS						
12V TV pre-cabling incl. flat screen holder	210.-	3	o	o	o	o
Mobile internet (WiFi / LTE antenna incl. Router)	970.-	1.4	o	o	o	o
Pre-cabling solar system	160.-	2	o	o	o	o
Lithium battery 104 Ah instead of AGM 95 Ah	970.-	-15	o	o	o	o
Additional 104 Ah lithium battery [6]	1,270.-	10.5	o	o	o	o
HEATING / GAS SUPPLY						
Floor heating electric in living area	490.-	6	o	o	o	o
Combi 6 DE diesel heater (with electric heating element), including integrated altitude pressure sensor and digital control panel	730.-	2	o	o	o	o
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	290.-	3.5	o	o	o	o

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

	Price £ [a)]	Additional weight (kg)*	T 7003S	T 7033P	T 7433S	T 7433Q
SOFT FURNISHING						
Performance Grey	0.-	0	○	○	○	○
Green Trail	0.-	0	○	○	○	○
PACKS						
Assistance Pack [11)]	1,980.-	2.6	○	○	○	○

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication Further information from p. 49
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

A Class Adventure

	I 67S	I 68
		
Price £	81,090.-	83,390.-
Permitted seats (including driver)*	4	4 - 5 OPT
Berths	4	4 - 5 OPT
Length / Width / Height (cm)	699 / 232 / 293	743 / 232 / 293
Headroom in living area (cm)	210	210
Standard chassis	Fiat Ducato	Fiat Ducato
Standard engine	2.2	2.2
kW (hp)	103 (140)	103 (140)
Mass in running order* (kg)	2970 (2822 to 3119)*	3047 (2895 to 3199)*
Manufacturer-specified mass for optional equipment* (kg)	192	95
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked (unbraked) (kg)	2000 (750)	2000 (750)
Tire size	225/75 R 16 CP	225/75 R 16 CP
Wheelbase (cm)	380	404
Bed size overcab / pull-down bed / Easy fold single bed (cm)	200 x 150	200 x 150
Bed dimension: Central / middle bed, L x W (cm)		210 x 65 OPT
Bed dimension: Rear bed, L x W (cm)	190 x 80 200 x 80 210 x 159	210 x 80 215 x 80 210 x 168
Refrigerator volume incl. freezer (l)	156 (29)	156 (29)
Heating type	Combi 6 E	Combi 6 E

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

	I 67S	I 68
		
Total fresh water tank capacity / fresh water tank when driving filled (l)	122 / 20[1)]	122 / 20[1)]
Waste water tank (l)	92	92
Sockets: 230 V	4	5
Sockets: USB	4	4
Inner dimensions storage locker right/left W x H (cm)	95 x 110 75 x 80	95 x 110 75 x 80
Storage space for two gas cylinders with filling weight (kg)	2 x 11kg	2 x 11kg

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

A Class Adventure

	I 67S	I 68
ADVENTURE EQUIPMENT		
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●
Fiat white	●	●
Side walls in smooth silver	●	●
Adventure Decals	●	●
Soft furnishing Adventure	●	●
High-level rear light cluster	●	●
Framed windows	●	●
2nd external storage door (size depends on layout)	●	●
Bed conversion single to double bed	●	●
Large 156 l fridge with separate 29 l freezer compartment	●	●
Basic Pack	●	●
Two-colour alloy wheels Pack	●	●
BASE VEHICLE FIAT		
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●
Start & Stop function incl. booster	●	●
60l fuel tank	●	●
Manual cab air conditioning	●	●
Cruise control	●	●
Wide-track chassis	●	●
Tyres M+S* Camping (snowflake)	●	●
Front Wheel Drive	●	●
Full LED front lighting (daytime running light, low beam, high beam and turn signal)	●	●
Driver and passenger airbag	●	●
Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt	●	●
ABS, EBD (electronic brake force distribution), ESP (electronic stability program)	●	●
ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)	●	●
Panoramic laminated glass windshield all-round	●	●
Traction+ incl. hill descent assistant	●	●
Low vibration, electrical and heated cab mirrors in coach optic with wide angle	●	●
Driver´s cab door left	●	●
Radio pre-wiring with loudspeakers and roof antenna	●	●

	I 67S	I 68
Multifunction steering wheel	●	●
Fix & Go breakdown kit	●	●
Central cup holder	●	●
Comfortable driving experience with rear and front axle stabilizers	●	●
USB charger (A+C)	●	●
Pilote seats with covers	●	●
Driver and passenger seats swivel	●	●
Driver and passenger seat with lumbar support	●	●
Height and rake adjustment for driver and passenger seat	●	●
Tyre pressure indicator	●	●
Reverse Monitoring (Radar)	●	●
Full Brake Control with Pedestrian Detection	●	●
Driver Drowsiness Detection	●	●
Intelligent Speed Assist	●	●
Lane control	●	●
Traffic sign recognition	●	●
PAINTING		
Fiat white	●	●
CONVERSION		
7-year water ingress warranty [2)]	●	●
GRP (glass fibre reinforced plastic) roof and rear wall	●	●
Aluminium sidewalls	●	●
Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm	●	●
Design rear light carrier in three parts with full-LED lights	●	●
Cab blinds for best insulation and privacy shield	●	●
High quality entrance door with ergonomic handle inside and outside	●	●
Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)	●	●
Roof light with frosted perspex glas and flyscreen	●	●
Coupé entrance	●	●
Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)	●	●
Splash water seals for the exterior storage locker and doors	●	●
Payload in garage up to 150 kg	●	●
COMFORT		
Isofix for 2 seats	●	●
Ergonomically shaped upholstery for improved seating comfort	●	●
L-shape lounge with free-standing and rotating table	—	●
Table extension	●	—
Pull-down bed with Clima-Plux elements as standard on A-Class models	●	●

	I 67S	I 68
High-quality mattress in all beds	●	●
Mattress cover removable and washable	●	●
Wooden slatted frame in all fixed-beds for better sleeping comfort	●	●
Ventilation for storage locker and seat backrest	●	●
Spacious storage compartments and storage options	●	●
Mirror with indirect lighting and coat hooks	●	●
Foldable window blinds	●	●
Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey	●	●
Floor Mountain Lodge	●	●
Bed conversion single to double bed	●	●
Carpet	●	●
INSTALLATIONS		
Overhead locker with integrated LED light	●	●
High-performance, maintenance-free leisure battery (95 Ah AGM)	●	●
Automatic switching and separating systems for starter and leisure battery as well as for refrigerator	●	●
Electric charger for leisure and vehicle battery 12 V / 18 A	●	●
CEE 230 V external socket with safety device	●	●
Residual Current Device (RCD)	●	●
LED interior light	●	●
LED Awning light	●	●
USB Socket 3 x A / 1 x C (depending on layout)	●	●
Bord-control-panel supplies information about filling levels and battery capacity	●	●
HEATING / GAS SUPPLY		
Gas control valves easily accessible and centrally arranged	●	●
Gas bottle locker for 2 x 11 kg gas bottles	●	●
Heating Combi 6 E (with el. heating element) incl. digital control panel	●	●
KITCHEN		
Two-flame cooker with 12 V ignition and glass cover	●	●
Ergonomically arranged kitchen with spacious work top	●	●
Large drawer with soft-close in the kitchen unit	●	●
Large, round kitchen sink in stainless steel	●	●
Water tank incl. boiler 122 l, waste water tank 92 l	●	●
Waste bin	●	●
Flexible railing system with two hooks	—	●
LED light-band	●	●
Large 156 l fridge with separate 29 l freezer compartment	●	●
Oven in kitchen	●	●

	I 67S	I 68
BATHROOM		
Variobath	●	—
Spacious bathroom with separate shower on the opposite side	—	●
Swivel cassette toilet with electric flush	●	●
Large mirrors	●	●
Roof vent with integrated flyscreen blind (depending on model)	●	●
Flexible railing system with two hooks	—	●
Clothes rail in bathroom	●	●
Shower cubicle lining	●	●
SOFT FURNISHING		
Soft furnishing Adventure	●	●
PACKS		
Basic Pack	●	●
Two-colour alloy wheels Pack	●	●

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

Packs

A Class Adventure

BASIC PACK

Bridge Light	
Comfort entrance door with window	
Flyscreen door (one-piece)	
Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40 cm	
Additional weight (kg)*	14.3

in A Class Adventure included

TWO-COLOUR ALLOY WHEELS PACK

Leather steering wheel and gear knob in leather trim	
Air outlets with applications silver (Techno-Trim)	
16" alloy wheels two-colour	
Additional weight (kg)*	8

in A Class Adventure included

BLACK ALLOY WHEELS PACK [7)]

Leather steering wheel and gear knob in leather trim	
Air outlets with applications silver (Techno-Trim)	
16" alloy wheels black matt	
Additional weight (kg)*	8

Price 0.-

7" INFOTAINMENT PACKAGE [8) 9)]

7" radio including Apple CarPlay/Android Auto function

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

7" INFOTAINMENT PACKAGE [8) 9)]

Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	**810.-**

10“ INFOTAINMENT PACKAGE [8) 9)]

10" radio und navigation system (DAB+) including Apple CarPlay/Android Auto function	
Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	**1,350.-**

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

A Class Adventure

	Price £ [a)]	Additional weight (kg)*	I 67S	I 68
BASE VEHICLE FIAT				
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 8-speed automatic gearbox	2,870.-	60	o	o
Electric Park Brake	550.-	-9.4	o	o
90l fuel tank	40.-	23	o	o
Digital display and smartphone charging function [3)]	540.-	0.3	o	o
WEIGHT INCREASE				
Weight increase to 3,65 t (no chassis modification)*	220.-	0	o	o
CONVERSION				
Two rear corner steadies	300.-	6	o	o
Insulated waste water tank	160.-	8	o	o
Bike rack for 3 bikes black	490.-	12.5	o	o
Awning - 4.5m (black)	1,320.-	34	o	—
Awning - 5m (black)	1,530.-	38	—	o
COMFORT				
Bed conversion for seating area	310.-	5	—	o
5th seat on side bench with seat belt* [10)]	520.-	15	—	o
Wooden duckboard for the shower tray	80.-	2	o	o
INSTALLATIONS				
12V TV pre-cabling incl. flat screen holder	200.-	3	o	o
Mobile internet (WiFi / LTE antenna incl. Router)	900.-	1.4	o	o
Pre-cabling reversing camera	150.-	1	o	o
Pre-cabling solar system	150.-	2	o	o
Lithium battery 104 Ah instead of AGM 95 Ah	900.-	-15	o	o
Additional 104 Ah lithium battery [6)]	1,170.-	10.5	o	o
HEATING / GAS SUPPLY				
Floor heating electric in living area	450.-	6	o	o
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	270.-	3.5	o	o

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

	Price £ [a]	Additional weight (kg)*	I 67S	I 68
SOFT FURNISHING				
Performance Grey	0.-	0	○	○
Green Trail	0.-	0	○	○
PACKS				
Black alloy wheels Pack [7]	0.-	8	○	○
7" Infotainment package [8] [9]	810.-	△	○	○
10" Infotainment package [8] [9]	1,350.-	△	○	○

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication Further information from p. 49
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Prices and technical data

Coachbuilts Root

	A 60	A 68	A 70
			
Price £	60,990.-	64,690.-	67,390.-
Permitted seats (including driver)*	4	6	5
Berths	4	6	6
Length / Width / Height (cm)	596 / 232 / 314	661 / 232 / 314	726 / 232 / 314
Headroom in living area (cm)	195	195	195
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2	2.2	2.2
kW (hp)	103 (140)	103 (140)	103 (140)
Mass in running order* (kg)	2835 (2693 to 2977)*	2935 (2788 to 3082)*	3008 (2858 to 3158)*
Manufacturer-specified mass for optional equipment* (kg)	324	52	61
Technically permissible maximum laden mass* (kg)	3500	3500	3500
Technically permissible towing weight 12 % braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP
Wheelbase (cm)	345	380	404
Bed size overcab / pull-down bed / Easy fold single bed (cm)	210 x 160	210 x 160	210 x 160
Bed dimension: Central / middle bed, L x W (cm)		175 x 100	185 x 100
Bed dimension: Rear bed, L x W (cm)	210 x 140 - 130	210 x 85 205 x 80	210 x 150 - 135
Refrigerator volume incl. freezer (l)	78 (11)	156 (29)	156 (29)
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

	A 60	A 68	A 70
			
Total fresh water tank capacity / fresh water tank when driving filled (l)	122 / 20[1)]	122 / 20[1)]	122 / 20[1)]
Waste water tank (l)	92	92	92
Sockets: 230 V	4	5	5
Sockets: USB	4	2	4
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 70	65 x 120 60 x 100	105 x 120 105 x 80
Storage space for two gas cylinders with filling weight (kg)	2 x 11kg	2 x 11kg	2 x 11kg

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes on p. XY.

Standard equipment

Coachbuilts Root

	A 60	A 68	A 70
EXTENDED STANDARD EQUIPMENT COACHBUILTS			
2nd external storage door (size depends on layout) [12)]	●	●	●
Safety Pack Overcab: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight)*	—	●	●
Green Trail	●	●	●
Large 156 l fridge with separate 29 l freezer compartment	—	●	●
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●	●
Basic Pack	●	●	●
Two-colour alloy wheels Pack	●	●	●
BASE VEHICLE FIAT			
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox	●	●	●
Start & Stop function incl. booster	●	●	●
60l fuel tank	●	●	●
Manual cab air conditioning	●	●	●
Cruise control	●	●	●
Wide-track chassis	●	●	●
Tyres M+S* Camping (snowflake)	●	●	●
Front Wheel Drive	●	●	●
Daytime running lights, integrated in headlights	●	●	●
Headlights with black frame	●	●	●
Driver and passenger airbag	●	●	●
Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt	●	●	●
Comfortable driving experience with rear and front axle stabilizers	●	●	●
ABS, EBD (electronic brake force distribution), ESP (electronic stability program)	●	●	●
ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)	●	●	●
Traction+ incl. hill descent assistant	●	●	●
Electric operated cab windows and central locking	●	●	●
Electric and heated mirrors	●	●	●
Radio aerial integrated in mirror	●	●	●
Radio pre-wiring including speakers	●	●	●
Multifunction steering wheel	●	●	●

	A 60	A 68	A 70
Fix & Go breakdown kit	●	●	●
Central cup holder	●	●	●
USB charger (A+C)	●	●	●
Driver and passenger seats with armrests & upholstered covers (Captain Chair)	●	●	●
Driver and passenger seats swivel	●	—	—
Driver and passenger seat with lumbar support	●	●	●
Height and rake adjustment for driver and passenger seat	●	●	●
Tyre pressure indicator	●	●	●
Reverse Monitoring (Radar)	●	●	●
Full Brake Control with Pedestrian Detection	●	●	●
Driver Drowsiness Detection	●	●	●
Intelligent Speed Assist	●	●	●
Lane control	●	●	●
Traffic sign recognition	●	●	●
CONVERSION			
7-year water ingress warranty [2)]	●	●	●
GRP (glass fibre reinforced plastic) roof and rear wall	●	●	●
Aluminium sidewalls	●	●	●
Roof and sidewall thickness: 34 mm, floor thickness: 42,5 mm	●	●	●
Design rear light carrier in three parts with full-LED lights	●	●	●
High quality entrance door with ergonomic handle inside and outside	●	●	●
Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)	●	●	●
Roof light with frosted perspex glas and flyscreen	●	●	●
Electric entrance step	●	●	●
Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)	●	●	●
Splash water seals for the exterior storage locker and doors	●	●	●
Payload in garage up to 150 kg	●	●	●
2nd external storage door (size depends on layout) [12)]	●	●	●
COMFORT			
Ergonomically shaped upholstery for improved seating comfort	●	●	●
Isofix for 2 seats	●	●	●
Safety Pack Overcab: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight)*	—	●	●
Table extension	●	—	—
Bed conversion for seating area	—	●	●
High-quality mattress in all beds	●	●	●
Mattress cover removable and washable	●	●	●
Wooden slatted frame in all fixed-beds for better sleeping comfort	●	●	●

	A 60	A 68	A 70
Overcab with side window on the right, hot air nozzles, 72cm headroom and 210 x 160 cm bed size	●	●	●
Sliding overcab bed for an improved access to the cab	●	●	●
Safety net on overcab beds, bunk beds and on pull-down beds (depending on model)	●	●	●
Spacious storage compartments and storage options	●	●	●
Ventilation for storage locker and seat backrest	●	●	●
Mirror with indirect lighting and coat hooks	●	●	●
Furniture Decor Cozy Cottage, Black Flow, Dyna White und Active Grey	●	●	●
Floor Mountain Lodge	●	●	●
INSTALLATIONS			
Overhead locker with integrated LED light	●	●	●
High-performance, maintenance-free leisure battery (95 Ah AGM)	●	●	●
Bord-control-panel supplies information about filling levels and battery capacity	●	●	●
Automatic switching and separating systems for starter and leisure battery as well as for refrigerator	●	●	●
Electric charger for leisure and vehicle battery 12 V / 18 A	●	●	●
CEE 230 V external socket with safety device	●	●	●
Residual Current Device (RCD)	●	●	●
LED Awning light	●	●	●
LED interior light	●	●	●
USB Socket 3 x A / 1 x C (depending on layout)	●	●	●
Pre-cabling reversing camera	●	●	●
HEATING / GAS SUPPLY			
Gas bottle locker for 2 x 11 kg gas bottles	●	●	●
Combi 6 gas heating	●	●	●
Gas control valves easily accessible and centrally arranged	●	●	●
KITCHEN			
Two-flame cooker with 12 V ignition and glass cover	●	●	●
Ergonomically arranged kitchen with spacious work top	●	●	●
Large drawer with soft-close in the kitchen unit	●	●	●
Large, round kitchen sink in stainless steel	●	●	●
Water tank incl. boiler 122 l, waste water tank 92 l	●	●	●
Fridge 78 l with freezer compartment 11 l	●	—	—
Large 156 l fridge with separate 29 l freezer compartment	—	●	●
LED light-band	●	●	●
Waste bin	●	●	●
Flexible railing system with two hooks	●	●	●

	A 60	A 68	A 70
BATHROOM			
Variobath	●	—	—
Bathroom with separate shower	—	●	●
Swivel cassette toilet with electric flush	●	●	●
Roof vent with integrated flyscreen blind (depending on model)	●	●	●
Large mirrors	●	●	●
Clothes rail in bathroom	●	●	●
Shower cubicle lining	●	●	●
SOFT FURNISHING			
Green Trail	●	●	●
PACKS			
Basic Pack	●	●	●
Two-colour alloy wheels Pack	●	●	●

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

Packs

Coachbuilts Root

BASIC PACK

Bridge Light	
Comfort entrance door with window	
Flyscreen door (one-piece)	
Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40 cm	
Additional weight (kg)*	14.3

in Coachbuilts Root included

TWO-COLOUR ALLOY WHEELS PACK

Leather steering wheel and gear knob in leather trim	
Air outlets with applications silver (Techno-Trim)	
16" alloy wheels two-colour	
Additional weight (kg)*	8

in Coachbuilts Root included

ACC PACK [13)]

Adaptive Cruise Control >30 km/h	
Rain and light sensor	
Additional weight (kg)*	2.5

Price 630.-

PACKAGE PAINTED FRONT BUMPER

Painted bumper
Skid Plate Black

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PACKAGE PAINTED FRONT BUMPER

Fog lights	
Additional weight (kg)*	3
Price	480.-

7" INFOTAINMENT PACKAGE 8) 9)

7" radio including Apple CarPlay/Android Auto function	
Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	810.-

10“ INFOTAINMENT PACKAGE 8) 9)

10" radio und navigation system (DAB+) including Apple CarPlay/Android Auto function	
Rear view camera	
Automatic cab air conditioning	
Additional weight (kg)*	△
Price	1,350.-

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional Extras

Coachbuilts Root

	Price £ [a)]	Additional weight (kg)*	A 60	A 68	A 70
BASE VEHICLE FIAT					
Fiat Ducato 3.500 kg | 2.2 | 103 kW | 140 BHP Euro 6 | 8-speed automatic gearbox	2,870.-	60	○	○	○
Electric Park Brake	550.-	-9.4	○	○	○
90l fuel tank	40.-	23	○	○	○
Digital display and smartphone charging function [3)]	540.-	0.3	○	○	○
WEIGHT INCREASE					
Weight increase to 3,65 t (no chassis modification)*	220.-	0	○	○	○
CONVERSION					
Awning - 3.5m (black)	970.-	28.7	○	—	—
Awning - 4m (black)	1,140.-	30	—	○	—
Awning - 4.5m (black)	1,320.-	34	—	—	○
INSTALLATIONS					
Lithium battery 104 Ah instead of AGM 95 Ah	900.-	-15	○	○	○
HEATING / GAS SUPPLY					
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	270.-	3.5	○	○	○
SOFT FURNISHING					
Performance Grey	0.-	0	○	○	○
PACKS					
ACC Pack [13)]	630.-	2.5	○	○	○
Package painted front bumper	480.-	3	○	○	○
7" Infotainment package [8) 9)]	810.-	△	○	○	○
10" Infotainment package [8) 9)]	1,350.-	△	○	○	○

● Standard equipment ○ Optional equipment ▲ Mandatory △ Not known at the time of publication Further information from p. 49
◆ upon request — Not possible □ Available in package

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Sunlight uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Footnotes

1) Before driving, please ensure that the fresh water tank does not contain more than 20 l.
2) The water ingress warranty conditions of Sunlight GmbH apply.
3) Only in conjunction with 7" Infotainment package or 10" Infotainment package.
4) When ordering the option "Easy fold bed" for the V67S, please note that the overhead storage cabinet on the left side will be replaced by an open storage compartment, and overhead lockers and the window on the right-hand side in the living area are omitted.
5) When ordering the option bed conversion of the seating area on the V60, please note that the wardrobe in living room is replaced with a side seat incl. overhead locker.
6) Only in conjunction with Lithium battery 104 Ah instead of AGM 95 Ah.
7) Not in conjunction with Maxi Chassis and/or automatic.
8) When the rear view camera is selected, rear view monitoring (radar) is disabled.
9) Not in combination with rear view camera preparation.
10) When ordering the option "5th seat on side bench with safety belt", the interior storage space flap is not applicable. An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass . To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partners.
11) For Maxi Chassis the Assistance Pack is included.
12) Lower window will be omitted on A 68.
13) Only in conjunction with package painted front bumper and two-colour alloy wheels Pack

Legal notices regarding weight-related information

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Sunlight configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is ± 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:
- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Sunlight makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Sunlight by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3 * 75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.
The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of ± 5 % (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above).

The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:
Minimum pay-mass in kg ≥ 10 * (n + L)
Where: “n” is the maximum number of passengers plus the driver and “L” is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg * (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass
- 2,850 kg mass in running order
- 3*75 kg mass of the passengers
- 100 kg minimum pay-mass

= 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3,500 kg technically permissible maximum laden mass
- 2,907 kg real weighed mass in running order
  (+ 2 % compared to the stated value of 2,850 kg)
- 3*75 kg mass of the passengers
– 325 kg optional equipment (maximum permissible value)

= 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Sunlight further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Sunlight.
Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Sunlight will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

3.500 kg technically permissible maximum laden mass
- 2.907 kg real weighed mass in running order
  (+ 2 % compared to the stated value of 2,850 kg)
- 3*75 kg mass of the passengers
- 150 kg optional equipment ordered for the specific vehicle

= 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.
We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.



United Kingdom & Ireland

Made in Germany

General Information
Price list for Sunlight Motorhomes version 08/2026, valid from 01.08.2026.
All previous price lists become invalid with the issuance of this price list. Prices in EURO may vary across Europe. This is the result of differing standard configurations depending on the country as well as varying VAT and luxury tax rates.
Copyright held by Sunlight GmbH. Errors and misprints regarding prices and technical data are possible. We reserve the right to amend prices and technical data. All of the images in this Sunlight catalogue may depict alternative designs or special equipment for which additional costs apply. Deviations in color are possible for technical printing reasons.
A company of the ERWIN HYMER GROUP

Sunlight

Graphics and layout:
HammerAlbrecht
Photos: Martin Erd

Sunlight GmbH
Ölmühlestraße 6
D-88299 Leutkirch

T +49 7561 9097 200
E info@sunlight.de
W www.sunlight.de/en